

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SI

**KLÜBER**  
LUBRICATION

## Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name : Klübersynth GEM 4-32 NH  
Article-No. : 012296

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Lubricating oil  
stance/Mixture  
Recommended restrictions : Restricted to professional users.  
on use

#### 1.3 Details of the supplier of the safety data sheet

Company : Klüber Lubrication München  
Geisenhausenerstr. 7  
81379 München  
Deutschland  
Tel: +49 (0) 89 7876 0  
Fax: +49 (0) 89 7876 333  
info@klueber.com  
E-mail address of person : mcm@klueber.com  
responsible for the SDS : Material Compliance Management  
National contact : Petrol d.d., Ljubljana  
Dunajska c. 50, 1527 Ljubljana  
Slovenia  
Tel.: +386 1 471 42 32  
e-mail: varnostni.listi@petrol.si

#### 1.4 Emergency telephone number

Emergency telephone num- : +49 89 7876 700 (24 hrs)  
ber

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**  
Not a hazardous substance or mixture.

#### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008)**  
Not a hazardous substance or mixture.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SI



## Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020

### Additional Labelling

EUH210 Safety data sheet available on request.  
EUH208 Contains amines, C12-14-tert-alkyl. May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil ester oil

#### Components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	Concentration limits M-Factor Notes	Concentration (% w/w)
amines, C12-14-tert-alkyl	701-175-2  01-2119456798-18-XXXX	Acute Tox.4; H302 Acute Tox.2; H330 Acute Tox.3; H311 Skin Corr.1B; H314 Eye Dam.1; H318 Skin Sens.1A; H317 STOT SE3; H335 Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	>= 0,025 - < 0,1
Substances with a workplace exposure limit :				
Dec-1-ene, homopolymer, hydrogenated	68037-01-4 500-183-1  01-2119486452-34-XXXX	Not classified		>= 70 - < 90

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SI

**KLÜBER**  
LUBRICATION

## Klübersynth GEM 4-32 NH

Version 2.5	Revision Date: 07.07.2020	Date of last issue: 12.11.2019 Date of first issue: 08.07.2016	Print Date: 07.07.2020
----------------	------------------------------	---	---------------------------

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
In case of contact, immediately flush skin with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
Do NOT induce vomiting.  
Rinse mouth with water.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No information available.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Fire may cause evolution of:  
Carbon oxides

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
- Further information : Standard procedure for chemical fires.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SI



## Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use personal protective equipment.  
Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.  
Prevent further leakage or spillage if safe to do so.  
Local authorities should be advised if significant spillages cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

#### 6.4 Reference to other sections

For personal protection see section 8.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

#### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SI

**KLÜBER**  
LUBRICATION

## Klübersynth GEM 4-32 NH

Version 2.5      Revision Date: 07.07.2020      Date of last issue: 12.11.2019  
Date of first issue: 08.07.2016

Print Date:  
07.07.2020

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Dec-1-ene, homo-polymer, hydro-genated	68037-01-4	MV (Alveolar fraction)	5 mg/m <sup>3</sup>	SI OEL (2018-12-04)
		KTV (Alveolar fraction)	20 mg/m <sup>3</sup>	SI OEL (2018-12-04)

##### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
diisotridecyl adipate	Workers	Inhalation	Long-term systemic effects	24 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	3,4 mg/kg bw/day
amines, C12-14-tert-alkyl	Workers	Inhalation	Long-term systemic effects	12,5 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	12,1 mg/m <sup>3</sup>

##### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
diisotridecyl adipate	Fresh water	0,00004 mg/l
	Intermittent use/release	1 mg/l
	Marine water	0,000004 mg/l
	Intermittent use/release	1 mg/l
	Sewage treatment plant	48 mg/l
	Fresh water sediment	40 mg/kg dry weight (d.w.)
	Marine sediment	40 mg/kg dry weight (d.w.)
	Soil	1 mg/kg dry weight (d.w.)
	amines, C12-14-tert-alkyl	Fresh water
Marine water		0,0001 mg/l
Intermittent use/release		0,004 mg/l
Sewage treatment plant		0,635 mg/l
Fresh water sediment		2,14 mg/l
Marine sediment		0,214 mg/l
Soil		0,428 mg/l
Oral		4,71 mg/l

#### 8.2 Exposure controls

##### Engineering measures

none

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SI

**KLÜBER**  
LUBRICATION

## Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020

### Personal protective equipment

Eye protection : Safety glasses with side-shields

#### Hand protection

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : yellow

Odour : characteristic

Odour Threshold : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point :  $\geq 200$  °C  
Method: ISO 2592, open cup

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SI

**KLÜBER**  
LUBRICATION

## Klübersynth GEM 4-32 NH

Version 2.5	Revision Date: 07.07.2020	Date of last issue: 12.11.2019 Date of first issue: 08.07.2016	Print Date: 07.07.2020
----------------	------------------------------	---	---------------------------

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative vapour density : No data available

Density : 0,85 g/cm<sup>3</sup>  
(20 °C)

Bulk density : No data available

Solubility(ies)

    Water solubility : insoluble

    Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

    Viscosity, dynamic : No data available

    Viscosity, kinematic : 32 mm<sup>2</sup>/s (40 °C)

Explosive properties : Not explosive

Oxidizing properties : No data available

### 9.2 Other information

Sublimation point : No data available

Self-ignition : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SI

**KLÜBER**  
LUBRICATION

## Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

##### Components:

#### **amines, C12-14-tert-alkyl:**

Acute oral toxicity : LD50 (Rat): 612 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 1,19 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): 251 mg/kg  
Method: OECD Test Guideline 402

#### **Dec-1-ene, homopolymer, hydrogenated:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 5,2 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SI

**KLÜBER**  
LUBRICATION

## Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020

Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

#### Product:

Remarks : This information is not available.

#### Components:

##### amines, C12-14-tert-alkyl:

Assessment : Causes burns.  
Result : Causes burns.

##### Dec-1-ene, homopolymer, hydrogenated:

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

### Serious eye damage/eye irritation

#### Product:

Remarks : This information is not available.

#### Components:

##### amines, C12-14-tert-alkyl:

Species : Rabbit  
Assessment : Risk of serious damage to eyes.  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye

##### Dec-1-ene, homopolymer, hydrogenated:

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SI

**KLÜBER**  
LUBRICATION

## Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020

### Respiratory or skin sensitisation

#### Product:

Remarks : This information is not available.

#### Components:

##### **amines, C12-14-tert-alkyl:**

Species : Guinea pig  
Assessment : The product is a skin sensitiser, sub-category 1A.  
Method : OECD Test Guideline 406  
Result : Probability or evidence of high skin sensitisation rate in humans

##### **Dec-1-ene, homopolymer, hydrogenated:**

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.  
Method : OECD Test Guideline 406  
Result : Did not cause sensitisation on laboratory animals.  
GLP : yes

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

#### Components:

##### **amines, C12-14-tert-alkyl:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Ames test  
Test system: Salmonella typhimurium  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity- As- : Animal testing did not show any mutagenic effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SI

**KLÜBER**  
LUBRICATION

## Klübersynth GEM 4-32 NH

Version 2.5	Revision Date: 07.07.2020	Date of last issue: 12.11.2019 Date of first issue: 08.07.2016	Print Date: 07.07.2020
----------------	------------------------------	---	---------------------------

essment

### **Dec-1-ene, homopolymer, hydrogenated:**

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

### **Carcinogenicity**

#### **Product:**

Remarks : No data available

### **Reproductive toxicity**

#### **Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### **Components:**

#### **amines, C12-14-tert-alkyl:**

Effects on foetal development : Species: Rat  
Method: OECD Test Guideline 414  
Result: No effects on fertility and early embryonic development were detected.

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.  
Animal testing did not show any effects on foetal development.

### **Dec-1-ene, homopolymer, hydrogenated:**

Reproductive toxicity - Assessment : No toxicity to reproduction

### **STOT - single exposure**

#### **Components:**

#### **amines, C12-14-tert-alkyl:**

Assessment : May cause respiratory irritation.

### **STOT - repeated exposure**

#### **Components:**

#### **amines, C12-14-tert-alkyl:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SI

**KLÜBER**  
LUBRICATION

## Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020

### Repeated dose toxicity

#### Product:

Remarks : This information is not available.

#### Components:

##### amines, C12-14-tert-alkyl:

Species : Rat  
NOAEL : 19 mg/kg  
Application Route : Inhalation  
Test atmosphere : vapour  
Method : OECD Test Guideline 412

Species : Rat  
NOAEL : 20 mg/kg  
Application Route : Skin contact  
Method : OECD Test Guideline 410

### Aspiration toxicity

#### Product:

This information is not available.

#### Components:

##### amines, C12-14-tert-alkyl:

No aspiration toxicity classification

##### Dec-1-ene, homopolymer, hydrogenated:

No aspiration toxicity classification

### Further information

#### Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SI

**KLÜBER**  
LUBRICATION

## Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020

aquatic invertebrates

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms :  
Remarks: No data available

### Components:

#### **amines, C12-14-tert-alkyl:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,3 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,5 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): 0,44 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 0,078 mg/l  
Exposure time: 96 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Method: OECD Test Guideline 210

M-Factor (Chronic aquatic toxicity) : 1

#### **Dec-1-ene, homopolymer, hydrogenated:**

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l  
Exposure time: 96 h  
Test Type: semi-static test

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1.000 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EL50 (Selenastrum capricornutum (green algae)): > 1.000 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SI

**KLÜBER**  
LUBRICATION

## Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR: 125 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Method: OECD Test Guideline 211  
GLP: yes

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

#### Components:

##### **amines, C12-14-tert-alkyl:**

Biodegradability : Inoculum: activated sludge  
Concentration: 4 mg/l  
Result: Not rapidly biodegradable  
Biodegradation: 21,8 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

##### **Dec-1-ene, homopolymer, hydrogenated:**

Biodegradability : Result: Not readily biodegradable.

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### Components:

##### **amines, C12-14-tert-alkyl:**

Partition coefficient: n-octanol/water : log Pow: 2,9 (20 °C)

##### **Dec-1-ene, homopolymer, hydrogenated:**

Partition coefficient: n-octanol/water : log Pow: > 6,5 (20 °C)  
pH: 7  
Method: OECD Test Guideline 117  
GLP: yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SI



## Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020

### 12.4 Mobility in soil

**Product:**

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

**Components:**

**Dec-1-ene, homopolymer, hydrogenated:**

Assessment : Non-classified PBT substance. Non-classified vPvB substance.

### 12.6 Other adverse effects

**Product:**

Additional ecological information : No information on ecology is available.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : unused product  
13 02 06\*, synthetic engine, gear and lubricating oils

uncleaned packagings

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SI



## Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020

15 01 10, packaging containing residues of or contaminated by hazardous substances

### SECTION 14: Transport information

#### 14.1 UN number

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.2 UN proper shipping name

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.4 Packing group

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA (Cargo) : Not regulated as a dangerous good  
IATA (Passenger) : Not regulated as a dangerous good

#### 14.5 Environmental hazards

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA (Passenger) : Not regulated as a dangerous good  
IATA (Cargo) : Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SI

**KLÜBER**  
LUBRICATION

## Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
- REACH - List of substances subject to authorisation (Annex XIV) : Not applicable
- Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable
- Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable
- Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable
- REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable
- Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable
- Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 0,14 %

#### Other regulations:

Chemicals Act  
Environment Protection Act  
Decree on waste  
Decree on the management of packaging and packaging waste  
Rules on the protection of workers from the risks related to exposure to chemical substances at work (Official Gazette of RS, no. 100/01, 39/05, 53/07, 102/10, 43/11 -- ZVZD-1, 38/15)  
Rules on personal protective equipment used by workers at work

#### 15.2 Chemical safety assessment

This information is not available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SI

**KLÜBER**  
LUBRICATION

## Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020

### SECTION 16: Other information

#### Full text of H-Statements

H302 : Harmful if swallowed.  
H311 : Toxic in contact with skin.  
H314 : Causes severe skin burns and eye damage.  
H317 : May cause an allergic skin reaction.  
H318 : Causes serious eye damage.  
H330 : Fatal if inhaled.  
H335 : May cause respiratory irritation.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

SI OEL : Slovenia. Chemical agents at work - Appendix 1: Occupational exposure limits  
SI OEL / MV : Time Weighted Average  
SI OEL / KTV : Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Sub-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SI



## Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020

---

stances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.